



THE LABORATORY
AT THE BIRMINGHAM
ASSAY OFFICE

P.O. BOX 151 NEWHALL STREET
BIRMINGHAM B3 1SB ENGLAND

TELEPHONE: +44 (0)121 236 6951
FACSIMILE: +44 (0)121 236 3228

www.theassayoffice.co.uk
testing@theassayoffice.co.uk

Jonathan Ungoed-Thomas
The Sunday Times
1 Pennington Street
London
E98 1ST

Jonathan.Ungoed-Thomas@sunday-times.co.uk

Ref:38448-1	Date work reported: 20 July 2007
Page: 1 of 1	Date work received: 20 July 2007

Item No	Description	ELEMENT	RESULT	METHOD
2 Wire Pendant & Necklace	Clasp Trigger	Pb Pb	85.41% 82.10%	ICP-OES (Method 38)
3 Bear Pendant & Necklace	Clasp Trigger Pendant	Pb Pb Pb	89.23% 88.24% 86.39%	ICP-OES (Method 38)
5 Letter Z Pendant & Necklace	Clasp Trigger Loop	Pb Pb Pb	86.11% 87.30% 81.57%	ICP-OES (Method 38)
6 Cross Pendant & Necklace ITEM No. N2479 Barcode 5050891024796	Clasp Trigger Ball Pendant	Pb Pb Pb Pb	89.48% 90.11% 93.42% 85.84%	ICP-OES (Method 38)

H. Singh BSc CChem MRSC
Analytical Chemist

D.K. Manchanda MSc, CSci CCHEM, MRSC
Technical Director.

